



17 MAR 2005

(43) International Publication Date
15 July 2004 (15.07.2004)

PCT

(10) International Publication Number
WO 2004/058841 A2

(51) International Patent Classification⁷: C08G

(21) International Application Number: PCT/US2003/031600

(22) International Filing Date: 6 October 2003 (06.10.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
 60/416,292 5 October 2002 (05.10.2002) US
 60/416,289 5 October 2002 (05.10.2002) US

(71) Applicant (for all designated States except US): THE REGENTS OF THE UNIVERSITY OF CALIFORNIA [US/US]; 1111 Franklin Street, Oakland, CA 94607-5200 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SAILOR, Michael, J. [US/US]; 3303 Caminito Eastbluff, Unit 178, La Jolla,

CA 92037 (US). TROGLER, William, C. [US/US]; 2460 Cordero Road, Del Mar, CA 92014 (US). SOHN, Honglae [KR/KR]; 357 Seosuk-dong, Kwangju 501-759 (KR). TOAL, Sarah, J. [US/US]; 4067 B Miramar St., La Jolla, CA 92037 (US).


(74) Agents: FALLON, Steven, P. et al.; Greer, Burns & Crain, Ltd., Suite 2500, 300 S. Wacker Drive, Chicago, IL 60606 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

[Continued on next page]

(54) Title: SYNTHESIS AND USE OF INORGANIC POLYMER SENSOR FOR DETECTING NITROAROMATIC COMPOUNDS



where R is a H or an alkyl or aryl group selected from the group consisting of Me or Ph; and where M is selected from the group consisting of Si and Ge

WO 2004/058841 A2

(57) Abstract: A dehydrocoupling polycondensation method for synthesizing polymetalloles including obtaining a dihydrometallole that includes silicon or germanium atoms, designating a reducing agent for preparation of dihydrometallole monomer, measuring a predetermined molar percentage of the reducing agent corresponding to a molar amount of the dihydrometallole, selecting a catalyst, and reacting the catalyst with the dihydrometallole to obtain a polymetallole. A method for detecting an analyte that may be present in ambient air or complex aqueous media including providing a polymer or copolymer containing a metalloid-metalloid backbone, exposing the polymer or copolymer to a suspected analyte or a system suspected of including the analyte, and measuring a quenching of photoluminescence of the metallocene polymer or copolymer exposed to the system.